



Munitions India Limited
A Government Of India Enterprise
Ministry Of Defence
Pune, Maharashtra

CENTRALISED VENDOR REGISTRATION CERTIFICATE

This is to certify that **M/s RAJESH ENGINEERING WORKS, S.No. 36, Galande Industrial Estate, Vadgaonsheri, Pune-Nagar Road, Mojeshwadi, Pune, Maharashtra PIN1 : 411014 Pune-Nagar Road, Vadgaon Sheri Pune Maharashtra** is registered at Munitions India Limited for following Items.

Sl. No.	Factory / Unit	Item Nomenclature	Initial Date of Registration
1	Ordnance Factory Chanda	6330685101 L T SQUIB PLUG BRIDGED TO DRG 563[63]	01-09-2020
2	Ordnance Factory Khamaria	CARTG PP3 EOF E EMPTY ASSY TRD 1279 LF 9911351544[99]	29-01-2021
3	Ordnance Factory Ambajhari	GROUND STAINLESS STEEL ROD TO SPECIFICATION IS 6603 GR 07Cr18Ni9 IN SOFTENED CONDITION TO SIZE 27MM 0 POINT 05MM IN STRAIGHT LENGTH OF 2 TO 3 METERS Description : GROUND STAINLESS STEEL ROD TO SPECIFICATION IS 6603 GR 07Cr18Ni9 IN SOFTENED CONDITION TO SIZE 27MM 0 POINT 05MM IN STRAIGHT LENGTH OF 2 TO 3 METERS [ENR Registration]	23-02-2021
4		GROUND STAINLESS STEEL ROD TO SPECIFICATION IS 6603 GR 07Cr18Ni9 IN SOFTENED CONDITION TO SIZE 20MM 0 POINT 05MM IN STRAIGHT LENGTH OF 2 TO 3 METERS Description : GROUND STAINLESS STEEL ROD TO SPECIFICATION IS 6603 GR 07Cr18Ni9 IN SOFTENED CONDITION TO SIZE 20MM 0 POINT 05MM IN STRAIGHT LENGTH OF 2 TO 3 METERS [ENR Registration]	23-02-2021

5	GROUND STEEL ROD TO SPECIFICATION IS 5517 GR 40Ni6Cr4Mo3 IN HARDENED CONDITION TO SIZE DIA 11M 0 POINT 05MM IN STRAIGHT LENGTH OF 2 TO 3 METERS HARDNESS 300 to 340HV Description : GROUND STEEL ROD TO SPECIFICATION IS 5517 GR 40Ni6Cr4Mo3 IN HARDENED CONDITION TO SIZE DIA 11M 0 POINT 05MM IN STRAIGHT LENGTH OF 2 TO 3 METERS HARDNESS 300 to 340HV [ENR Registration]	23-02-2021
6	GROUND STEEL ROD TO SPECIFICATION IS 5517 GR 40Ni6Cr4Mo3 IN HARDENED CONDITION TO SIZE DIA 17MM 0 POINT 05MM IN STRAIGHT LENGTH OF 2 TO 3 METERS HARDNESS 300 to 340HV Description : GROUND STEEL ROD TO SPECIFICATION IS 5517 GR 40Ni6Cr4Mo3 IN HARDENED CONDITION TO SIZE DIA 17MM 0 POINT 05MM IN STRAIGHT LENGTH OF 2 TO 3 METERS HARDNESS 300 to 340HV [ENR Registration]	23-02-2021
7	BRASS ROD TO SPECIFICATION IS 4170 GRADE CUZN40 IN AS MANUFACTURED CONDITION TO SIZE 3MM DIA 0 POINT 05MM IN STRAIGHT LENGTH OF 2 TO 3 METERS Description : BRASS ROD TO SPECIFICATION IS 4170 GRADE CUZN40 IN AS MANUFACTURED CONDITION TO SIZE 3MM DIA 0 POINT 05MM IN STRAIGHT LENGTH OF 2 TO 3 METERS [ENR Registration]	23-02-2021
8	COPPER ROD TO SPECIFICATION IS 4171 IN AS MANUFACTURED CONDITION HAVING DIA 5MM 0 POINT 05 MM Description : COPPER ROD TO SPECIFICATION IS 4171 IN AS MANUFACTURED CONDITION HAVING DIA 5MM 0 POINT 05 MM [ENR Registration]	23-02-2021
9	WASHER I TO ARDE DRG NO 0901 00 00 00 00 001 00PB Description : WASHER I TO ARDE DRG NO 0901 00 00 00 00 001 00PB [ENR Registration]	23-02-2021
10	WASHER II TO ARDE DRG NO 0901 00 00 00 00 002 00PB Description : WASHER II TO ARDE DRG NO 0901 00 00 00 00 002 00PB [ENR Registration]	23-02-2021

11		GLASS FIBRE FILLED PHENOLIC MOULDING MATERIAL TO SPECN IND ME 951 PROV GRADE A OR MOULDING POWER TO SPECN JSS 9330 05 TYPE I Description : GLASS FIBRE FILLED PHENOLIC MOULDING MATERIAL TO SPECN IND ME 951 PROV GRADE A OR MOULDING POWER TO SPECN JSS 9330 05 TYPE I [ENR Registration]	23-02-2021
12		NICKEL CHROMIUM WIRE APPROX 80 20 Ni Cr DIAMETER 0 0305MM NOMINAL RESISTANCE 1481 OHMS 12 5 PERCENT PER METER TO B S 1117 PT 2 1964 TYPE 3 GRADE C4 Description : NICKEL CHROMIUM WIRE APPROX 80 20 Ni Cr DIAMETER 0 0305MM NOMINAL RESISTANCE 1481 OHMS 12 5 PERCENT PER METER TO B S 1117 PT 2 1964 TYPE 3 GRADE C4 [ENR Registration]	23-02-2021
13		TRANSIT CAP TO ARDE DRG NO 0901 00 02 01 00 005 00PB FOR SQUIB HOUSING ASSY EMPTY TO DRG NO 0901 00 00 02 01 000 00PB Description : TRANSIT CAP TO ARDE DRG NO 0901 00 02 01 00 005 00PB FOR SQUIB HOUSING ASSY EMPTY TO DRG NO 0901 00 00 02 01 000 00PB [ENR Registration]	23-02-2021
14		SAFETY CUP TO DRG NO 0901 00 02 01 00 006 00PB Description : SAFETY CUP TO DRG NO 0901 00 02 01 00 006 00PB [ENR Registration]	23-02-2021
15		CELLULOID DISC TO ARDE DRG NO 0901 00 01 01 00 004 00PB FOR CARTDIGE BODY EMPTY ASSY 0901 00 01 01 00 000 00PB Description : CELLULOID DISC TO ARDE DRG NO 0901 00 01 01 00 004 00PB FOR CARTDIGE BODY EMPTY ASSY 0901 00 01 01 00 000 00PB [ENR Registration]	23-02-2021
16		PTFE DISC TO ARDE DRGNO 0901 00 01 01 00 005 00PB FOR CARTDIGE BODY EMPTY ASSY 0901 00 01 01 00 000 00PB Description : PTFE DISC TO ARDE DRGNO 0901 00 01 01 00 005 00PB FOR CARTDIGE BODY EMPTY ASSY 0901 00 01 01 00 000 00PB [ENR Registration]	23-02-2021
17		CUP TO ARDE DRG NO 0901 00 01 01 00 007 00PB FOR CARTDIGE BODY EMPTY ASSY 0901 00 01 01 00 000 00PB Description : CUP TO ARDE DRG NO 0901 00 01 01 00 007 00PB FOR CARTDIGE BODY EMPTY ASSY 0901 00 01 01 00 000 00PB [ENR Registration]	23-02-2021
18	Ordnance Factory Bolangir	CAP KG 4 FOR A30 T DETONATOR[65]	02-03-2021

19		TUBE EXPLODER NOSE TO DRG NO ARM 6221010211[62]	02-03-2021
20		TUBE EXPLODER REAR TO DRG NO ARM 6221010201[62]	02-03-2021
21		SQUIB EMPTY[63]	02-03-2021
22		PRIMER ELECTRIC NO N30MK1 EMPTY[62]	02-03-2021
23		CUP YA 5 FOR A30 T DET[65]	02-03-2021
24		CAP TO DRG NO ARM 1172 A26 6221020012[62]	02-03-2021
25	Ammunition Factory Khadki	SQUIB ASSY (EMPTY) FOR PYRO CTG.[60]	23-03-2021
26		SET OF PYRO SQUIB OPERATOR II-253ME[60]	23-03-2021
27		SQUIB PLUG BRIDGED FOR IGNITER[60]	23-03-2021
28		COMPONENTS FOR SQUIB PSQ 6[60]	23-03-2021
29		BRIDGED SQUIB[60]	23-03-2021
30		SQUIB (EMPTY) FOR IGNITER EB-2[60]	23-03-2021
31		SQUIB HOLDER DRG.NO. AFK/SK-334-06][60]	23-03-2021
32		SQUIB HOLDER - DRG.NO. AK/SK-303-05[60]	23-03-2021
33		SQUIB ASSEMBLY (EMPTY) TO DRG. NO ERDL 959 DET. 4 DT 14-09-76 FOR PP9 RST[64]	23-03-2021
34		MFG OF L.T SQUIB. DRG NO ERDL 563.[96]	23-03-2021
35		CHARGES FOR MISC JOB FOR LT SQUIB[96]	23-03-2021
36		SQUIBS TO DRG NO.ERDL 1004 DET NO.1[99]	23-03-2021
37		SQUIB PLUG DET.ELEC.82 MK IN2[64]	23-03-2021
38		SQUIB PLUG TO DRG. NO. ERDL DRG 897, DET NO. 7[60]	23-03-2021

Registration No. : ARQPK4132J
Initial Date of Registration : 01-09-2020
Downloaded at : 03/08/2025 11:46 pm

Conditions of Registration:

1. This Registration has been carried out based on self-declared documents furnished by Vendor.

Registration Authority immediately.

2. ~~Change in Registration Address constitutes a change in the Firm, this Registration Certificate is void.~~ Technology should be intimated to the Registration Authority.
4. Registration will be valid for 05 years with automatic renewal unless cancelled on account of administrative reasons.

This is a system generated certificate. Hence no separate signature is required.

NOTE: It is only a registration of vendor. It does not grant any special supply status to the Vendor. It is for the purpose of participation in Tender process only.