



Munitions India Limited
A Government Of India Enterprise
Ministry Of Defence
Pune, Maharashtra

CENTRALISED VENDOR REGISTRATION CERTIFICATE

This is to certify that **M/s BANSAL ALLOYS AND METALS PVT. LTD., G.T. Road, Sirhind Side, Mandi Gobindgarh Punjab** is registered at Munitions India Limited for following Items.

Sl. No.	Factory / Unit	Item Nomenclature	Initial Date of Registration
1	Rifle Factory Ishapur	STEEL FLAT 50 X 38 X 68MM LONG FOR RIFLE 5.56MM INSAS.	24-12-2015
2		STEEL ROD 32MM DIA 360MM LENGTH FOR BARREL OF RIFLE 5.56MM INSAS.	24-12-2015
3		STEEL ROD 32MM DIA PEELED BAR IN EXACT LENGTH OF 800MM FOR RIFLE 5.56MM INSAS	24-12-2015
4		STEEL ROD 42MM DIA X 3.0 METER LONG BAR FOR FORGING OF PISTON EXTENSION OF RIFLE 5.56MM INSAS.	24-12-2015
5		STEEL SQUARE 36 X 36 X 600MM LONG FOR RIFLE 5.56MM INSAS.	24-12-2015
6		STEEL FLAT 50 X 38 X 68MM LONG FOR RIFLE 5.56MM INSAS.[01]	14-05-2018
7		STEEL ROD 32MM DIA 360MM LENGTH FOR BARREL OF RIFLE 5.56MM INSAS.[01]	14-05-2018
8		STEEL ROD 32MM DIA PEELED BAR IN EXACT LENGTH OF 800MM FOR RIFLE 5.56MM INSAS[01]	14-05-2018
9		STEEL ROD 42MM DIA X 3.0 METER LONG BAR FOR FORGING OF PISTON EXTENSION OF RIFLE 5.56MM INSAS. [01]	14-05-2018
10		STEEL SQUARE 36 X 36 X 600MM LONG FOR RIFLE 5.56MM INSAS. [01]	14-05-2018
11		32MM DIA 490MM LENGTH BILLET[01]	14-05-2018
12		BLOCK BREECH STEEL RD. 32MM DIA[04]	14-05-2018

13		STEEL FLAT ANNEALED COND.[01]	14-05-2018
14		STEEL RD. 42MM DIA FOR P/EXTN[03]	14-05-2018
15		STEEL ROD 38MM.(+0.5MM - 0MM)DIA LENGTH SIZE 470[01]	14-05-2018
16		ST. ROUND 38MM DIA 380MM LONG[03]	14-05-2018
17	Small Arms Factory	STEEL TO BS:970 PT-1:1983 835M15 OR EN-39B SQUARE 90MM[04]	27-12-2020
18		STEEL ROD 32MM DIA[04]	27-12-2020
19		STEEL RD 32MM DIA IN HOT ROLLED AND NORMALISED CONDITION TO SPECN.IS-1875-2005 DESIGNATION C8 CLASS 2 LATEST ISSUE[01]	27-12-2020
20		STEEL RD 38MM DIA IN HOT ROLLED AND NORMALISED CONDITION TO SPECN. IS:5517 -1993, DESIGNATION 40 C8[01]	27-12-2020
21		STEEL FLAT 25X32MM[01]	27-12-2020
22		STEEL RD 45MM DIA IN HR & NORMALISED CONDN.TO SPECN.BS:970PT -3:1991.GD.070M55.[01]	27-12-2020
23		STEEL ROD 44 MM DIA FOR MAG[01]	27-12-2020
24		Steel flat 36mm x 62mm for JVPC[04]	27-12-2020
25		STEEL FLAT 125X 8X 530 MM LONG IN CUT LENGTH[01]	27-12-2020
26		STEEL ROD 31+0.5/-0.0MM DIA.,IN CUT LENGTH OF 380+2.5/-0.0MM TO SPECN. JSS:9510-06-2000,REV.3[03]	27-12-2020
27		STEEL ROD 30MM DIA. TO SPECN.BS:970:PT.1:1983 GD.070M55 CONDN.'S' (REQD. FOR FLASH HIDER)[01]	27-12-2020
28		STEEL RD 22MM DIA IN HOT ROLLED AND ANNEALED CONDITION TO SPECN.BS:970 PT.1:1983 GD.817M40 OR 826M40.[02]	27-12-2020
29		STEEL FLAT 22X18MM FOR MAG[04]	27-12-2020
30		STEEL RD 45MM DIA IN HOT ROLLED AND ANNEALED CONDITION FOR MAG[03]	27-12-2020
31		STEEL FLAT 32X11MM FOR MAG[04]	27-12-2020

32	STEEL RD 25MM DIA FOR MAG[03]	27-12-2020
33	STEEL ROD 35 MM DIA[03]	27-12-2020
34	STEEL FL 50X25MM[04]	27-12-2020
35	STEEL SQR 37MM FOR MAG[03]	27-12-2020
36	Steel Flat 25 X 32 mm[01]	27-12-2020
37	Steel Flat 70 X 34 mm[03]	27-12-2020
38	STEEL FLAT RECTANGULAR SIZE 40 plus 5 MM X 65 plus 5 MM for TAR[01]	27-12-2020
39	STEEL ROD 31 plus point 5 mm DIA[03]	27-12-2020
40	STEEL FLAT 36 MM X 62 MM[01]	27-12-2020
41	Steel Round Dia 28mm[14]	27-12-2020

Registration No. : PTLB11555F
Initial Date of Registration : 24-12-2015
Downloaded at : 24/09/2025 04:07 am

Conditions of Registration:

1. This Registration has been carried out based on self-declared documents furnished by Vendor.
2. Changes, if any, in Address or constitution of the Firm, major Machinery/Equipment or Technology should be intimated to the Registration Authority immediately.
3. The Registration Authority reserves the right to cancel this Registration Certificate at any time.
4. Registration will be valid for 05 years with automatic renewal unless cancelled on account of administrative reasons.

This is a system generated certificate. Hence no separate signature is required.

NOTE: It is only a registration of vendor. It does not grant any special supply status to the Vendor. It is for the purpose of participation in Tender process only.